

TECHNICAL DATA SHEET

DECK.SOAP

Soap for outdoor wood flooring/oil-treated decks



1 Lt

DESCRIPTION

Detergent soap for cleaning outdoor oil-treated wooden floors. It deeply nourishes the fibres allowing the treated surface to maintain a particularly uniform and natural appearance over time. It does not leave the treated surface slippery.

TECHNICAL DATA CHEMICAL-PHYSICAL CHARACTERISTICS at 20°C (indicative values not constituting product specifications):

Dilution in water for ordinary cleaning	5% (approx. 1 capful per litre of water)
Application method	Cotton Cloth, Vermeister Mop
Recommended frequency	1-2 times a week
Stability and storage in original unopened containers stored in a cool, dry place (months)	12
Standard packaging (Lt)	1

APPLICATION

Always shake the product before use.

Dilute 5% of DECK.SOAP in water (0.05 in 1 litre of water, i.e. approximately 1 capful per litre of water), soak a cotton cloth in the solution, wring out and wipe over the surface of the floor. Once dry it will leave a protective layer of soap on the treated surface.

DECK.SOAP should be used 1-2 times a week. In the case of floors with high traffic, the treatment can be repeated more frequently.

NOTES

CONTAINS: Soap < 25% - Preservatives

DO NOT POUR DIRECTLY ONTO FLOORS.

Mix well before use.

Safety precautions. Keep the product in a tightly closed, upright container in a cool place away from sources of heat. The product is classified and coded in compliance with EC Directives/regulations concerning hazardous substances. The information for the user is given in the relevant safety sheet. Empty containers or those containing slight traces of the product must be disposed of in accordance with local regulations. VerMeister S.p.A. guarantees that the details given in this sheet are provided to the best of the company's technical-scientific knowledge and experience; however, the company cannot be held responsible in any way for the results obtained with the products as the conditions of application are beyond the company's control. It is always advisable to check the suitability of the product to each specific circumstance. This sheet cancels and replaces all previous editions.